

55

Years of Excellence

Edition 2 | 2025-2026



INDO GROUP



Pune, MH, India _____



Indo Group

**Pune
(Head Office)**

Address: MIDC Rd, T Block, MIDC,
Bhosari, Pimpri-Chinchwad,
Maharashtra 411026

JRCJ+F8 Pimpri-Chinchwad, Maharashtra

General

P 020 2712 3003

E info@indogroup.asia

Sales

P 020 2712 3003

E sales@indogroup.asia

Accounts

P 020 2712 3003

E finance@indogroup.asia

Service

P 020 2712 3003

E technical@indogroup.asia



Indo Group and Parsun: Trusted Marine Engine Solutions

Indo Group is the official distributor of Parsun Outboard Motors in India, offering a reliable range of high-performance marine engines. Parsun, a globally recognized brand, is known for its innovation, fuel efficiency, and dependable engineering in both portable and mid-range outboard motors.

With Indo Group's strong network, technical expertise, and commitment to after-sales service, customers across India can access genuine Parsun products along with dedicated support for maintenance and spare parts. This partnership brings world-class marine propulsion technology to Indian waters, serving fishing fleets, leisure boaters, and commercial marine operators alike.

Model	T5.8	Model	T25	Model	T30A
Type	2-stroke	Type	2-stroke	Type	2-stroke
HP / kW	5.8HP / 4.3kW	HP / kW	25HP / 18.4kW	HP / kW	30HP / 22kW
Engine	L1	Engine	2-cyl	Engine	2-cyl
Displacement (cc)	74.6	Displacement (cc)	496	Displacement (cc)	496
Bore × Stroke (mm)	55×43	Bore × Stroke (mm)	72×61	Bore × Stroke (mm)	72×61
Full RPM	4500-5500	Full RPM	4500-5500	Full RPM	4500-5500
Idle RPM	1000-1100	Idle RPM	1050-1150	Idle RPM	1050-1150
Transom Height (in)	15 / 20	Transom Height (in)	15 / 20	Transom Height (in)	15 / 20
Dry Weight (kg)	20-21	Dry Weight (kg)	~52	Dry Weight (kg)	~52
Gear Ratio	2.15	Gear Ratio	2.08	Gear Ratio	2.08
Steering	Tiller	Steering	Tiller/Remote	Steering	Tiller/Remote
Start	Manual	Start	Manual/Electric	Start	Manual/Electric
Fuel Tank	Built-in 2.7L	Fuel Tank	24L	Fuel Tank	24L
Propeller Options	3-8"	Propeller Options	11.25",12"	Propeller Options	11.25",12"

Model	T40	Model	T40J	Model	T60A
Type	2-stroke	Type	2-stroke	Type	2-stroke
HP / kW	40HP / 29.4kW	HP / kW	40HP / 29.4kW	HP / kW	60HP / 44.1kW
Engine	2-cyl	Engine	2-cyl	Engine	3-cyl
Displacement (cc)	703	Displacement (cc)	703	Displacement (cc)	849
Bore × Stroke (mm)	80×70	Bore × Stroke (mm)	80×70	Bore × Stroke (mm)	72×69.5
Full RPM	4500-5500	Full RPM	4500-5500	Full RPM	4500-5500
Idle RPM	950-1050	Idle RPM	950-1050	Idle RPM	950-1050
Transom Height (in)	15 / 20	Transom Height (in)	15 / 20	Transom Height (in)	20 / 22
Dry Weight (kg)	~73.5	Dry Weight (kg)	73.5	Dry Weight (kg)	103.5
Gear Ratio	2	Gear Ratio	2	Gear Ratio	2.33
Steering	Tiller/Remote	Steering	Tiller/Remote	Steering	Tiller/Remote
Start	Manual/Electric	Start	Manual/Electric	Start	Manual/Electric
Fuel Tank	24L	Fuel Tank	24L	Fuel Tank	24L
Propeller Options	12",13"	Propeller Options	12",13"	Propeller Options	13",15",17"



Model	T75
Type	2-stroke
HP / kW	75HP / 55.2kW
Engine	3-cyl
Displacement (cc)	1141
Bore × Stroke (mm)	82×72
Full RPM	4500–5500
Idle RPM	750–850
Transom Height (in)	20 / 25
Dry Weight (kg)	115
Gear Ratio	2
Steering	Tiller/Remote
Start	Manual/Electric
Fuel Tank	24L
Propeller Options	13",15",17"

Model	T85
Type	2-stroke
HP / kW	85HP / 62.5kW
Engine	3-cyl Reed
Displacement (cc)	1141
Bore × Stroke (mm)	82×72
Full RPM	4500–5500
Idle RPM	750–850
Transom Height (in)	20 / 25
Dry Weight (kg)	115–122
Gear Ratio	2
Steering	Tiller/Remote
Start	Manual/Electric
Fuel Tank	24L
Propeller Options	13",17"

Model	T90
Type	2-stroke
HP / kW	90HP / 66.2kW
Engine	3-cyl Reed
Displacement (cc)	1141
Bore × Stroke (mm)	82×72
Full RPM	4500–5500
Idle RPM	750–850
Transom Height (in)	20 / 25
Dry Weight (kg)	115–122
Gear Ratio	2
Steering	Tiller/Remote
Start	Manual/Electric
Fuel Tank	24L
Propeller Options	13",15",17"

Model	F2.6
Type	4-stroke
HP / kW	2.6HP / 1.9kW
Engine	1-cyl OHV
Displacement (cc)	72
Bore × Stroke (mm)	54×31
Full RPM	5250–5750
Idle RPM	1550–1650
Transom Height (in)	15 / 20
Dry Weight (kg)	17
Gear Ratio	2.08/2.25
Steering	Tiller
Start	Manual
Fuel Tank	Built-in 1.2L
Propeller Options	6" or 5.38"

Model	F9.8
Type	4-stroke
HP / kW	9.8HP / 7.2kW
Engine	2-cyl SOHC
Displacement (cc)	209
Bore × Stroke (mm)	55×44
Full RPM	5000–6000
Idle RPM	900–1000
Transom Height (in)	15 / 20
Dry Weight (kg)	38
Gear Ratio	2.08
Steering	Tiller/Remote
Start	Electric/Manual
Fuel Tank	12L
Propeller Options	8.3"

Model	F9.9
Type	4-stroke
HP / kW	9.9HP / 7.3kW
Engine	2-cyl SOHC
Displacement (cc)	323
Bore × Stroke (mm)	–
Full RPM	4500–5500
Idle RPM	1000–1100
Transom Height (in)	15 / 20
Dry Weight (kg)	49–53
Gear Ratio	2.08
Steering	Tiller/Remote
Start	Electric/Manual
Fuel Tank	24L
Propeller Options	

Model	F15 / TE15
Type	4-stroke
HP / kW	15HP / ~11kW
Engine	2-cyl
Displacement (cc)	246
Bore × Stroke (mm)	56×50
Full RPM	4500–5500
Idle RPM	1000–1100
Transom Height (in)	15 / 20
Dry Weight (kg)	35–38
Gear Ratio	2.08
Steering	Tiller
Start	Manual
Fuel Tank	24L
Propeller Options	8"/10"/11"

Model	F20A
Type	4-stroke
HP / kW	20HP / 14.7kW
Engine	2-cyl SOHC
Displacement (cc)	362
Bore × Stroke (mm)	63×58.1
Full RPM	5000–6000
Idle RPM	1000–1100
Transom Height (in)	15 / 20
Dry Weight (kg)	51.7–54.7
Gear Ratio	2.08
Steering	Tiller/Remote
Start	Manual/Electric
Fuel Tank	24L
Propeller Options	8"–12"

Model	F20E
Type	4-stroke
HP / kW	20HP / 14kW
Engine	2-cyl SOHC
Displacement (cc)	362
Bore × Stroke (mm)	63×58.1
Full RPM	5000–6000
Idle RPM	1000–1100
Transom Height (in)	15 / 20
Dry Weight (kg)	51.7–54.7
Gear Ratio	1.85
Steering	Tiller/Remote
Start	Manual/Electric
Fuel Tank	24L
Propeller Options	8"–12"

Indo Group

Pune

(Head Office)

Address: MIDC Rd, T Block, MIDC,
Bhosari, Pimpri-Chinchwad,
Maharashtra 411026

Web: www.indogroup.asia

E-mail: info@indogroup.asia

Phone: 020 2712 3003

JRCJ+F8 Pimpri-Chinchwad, Maharashtra





INDO GROUP